To: Smith, Claudia[Smith.Claudia@epa.gov]

Cc: Rothery, Deirdre[Rothery.Deirdre@epa.gov]; Ostendorf, Jody[ostendorf.jody@epa.gov];

Morales, Monica[Morales.Monica@epa.gov]

From: Gilbreath, Jan

Sent: Tue 12/22/2015 8:06:54 PM Subject: RE: U&O FIP: Staff Level Drafts

Claudia,

Thanks very much for sending this. I'll start taking a look tomorrow.

Meanwhile, for you and Jody, I have a little information I promised you concerning applicability of the Congressional Review Act provision to an Agency final rule signed in August or September of 2016.

Ex. 5 - Deliberative Process

By the way, there used to be an OGC attorney who specialized in CRA provisions, but she retired two weeks ago. Not sure who will take up that work in her absence.

Jan

From: Smith, Claudia

Sent: Monday, December 21, 2015 5:24 PM

Cc: Rothery, Deirdre < Rothery. Deirdre@epa.gov>; Ostendorf, Jody < ostendorf.jody@epa.gov>; Morales, Monica < Morales. Monica@epa.gov> Subject: U&O FIP: Staff Level Drafts Jan, As promised last week, attached are some recent staff level drafts of the proposed Federal Register Notice and Technical Support Document for the Federal Implementation Plan for Existing Oil and Natural Gas Well Production Facilities on the Uintah and Ouray Indian Reservation in Utah, Docket ID EPA-R08-OAR-2015-0709, so that you can familiarize yourself with the proposed rulemaking. Please keep in mind that we are still in the process of addressing internal regional and headquarters staff level comments. If you have any questions, feel free to contact me. Thank you, Claudia Claudia Young Smith **Environmental Scientist** US EPA Region 8 Air Program Phone: (303) 312-6520 Fax: (303) 312-6064 http://www2.epa.gov/caa-permitting/caa-permitting-epas-mountains-and-plains-region

To: Gilbreath, Jan < Gilbreath. Jan@epa.gov>

US EPA Region 8

1595 Wynkoop Street

Mail Code 8P-AR

Denver, Colorado 80202

This transmission may contain deliberative, attorney-client, attorney work product or otherwise privileged material. Do not release under FOIA without appropriate review. If this message has been received by you in error, you are instructed to delete this message from your machine and all storage media whether electronic or hard copy.